

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	443	307/13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:22
S3	515	phase adj change adj over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:21
S4	8	phase adj change adj over same current near3 (detect\$2 sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:32
S5	26	phase adj load adj balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:32
S6	53	three adj phase same load adj balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:39
S8	2044	zero adj phase adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:39
S9	126	zero adj phase adj current adj (detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 16:18
S10	36	zero adj phase adj current adj (detector sensor) and three adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:47

## EAST Search History

S11	36	zero adj phase adj current adj (detector sensor) and (three adj phase three-phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 16:14
S12	62	zero adj phase adj current same phase near2 (chang\$3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 16:15
S13	38	zero adj phase adj current adj (detector sensor) and phase with (chang\$3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 16:18
S14	21	zero adj phase adj current adj (detector sensor) same phase with (chang\$3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 16:18
S15	515	phase adj change adj over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:14
S17	2044	zero adj phase adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:21
S18	2044	zero adj phase adj current same phase adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:21
S19	83	zero adj phase adj current same phase adj currents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 17:29

## EAST Search History

S20	12954	load adj balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 17:29
S25	68	load adj balancing and phase adj currents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:59
S26	422	sum near3 phase adj currents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:59
S27	13	sum near3 phase adj currents same phase near (switch\$3 chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:59
S28	7	("3991359"   "4659942"   "5181180"   "5182464"   "5191520"   "5477091"   "5604385").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 18:14
S29	9338	phase with load with (change switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:23
S30	596	phase with load with (change switch) same balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:23
S31	63	load adj8 (change switch) adj8 phase same balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:37
S32	8	(balanc\$3 and load and phase and (switch\$3 chang\$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:38

## EAST Search History

S33	230	307/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:12
S34	299	switch adj4 phase adj4 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:25
S35	167	switch adj4 phase adj4 supplied adj4load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:25
S36	4	switch adj4 phase adj4 supplied adj4 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:25
S37	390	high adj voltage adj line same low adj voltage adj line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:12
S38	5	high adj voltage adj line same low adj voltage adj line same distribution adj transformers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:14
S39	50	high adj voltage adj line same low adj voltage adj line same transformers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:20
S40	15312	phase same (maximum large\$2) same (minumum small\$3) same current same (chang\$3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:22

## EAST Search History

S41	13671	phase same (maximum large\$2) same (minumum small\$3) same current same (change switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:22
S42	16939	phase same (maximum large\$2) same (minimum small\$3) same current same (change switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:22
S43	226	phase same (maximum large\$2) adj current same (minimum small\$3) adj current same (change switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:23
S44	23	phase same (maximum large\$2) adj current same (minimum small\$3) adj current same (change switch\$2) same balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:24
S45	21	phase same (maximum large\$2) adj current with (minimum small\$3) adj current with (change switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:32
S46	3	phase same (maximum large\$2) adj current with (minimum small\$3) adj current same \$2balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:34
S47	72	phase with change adj over same \$2balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:34
S48	1	(maximum large\$2) adj current with (minimum small\$3) adj current and phase with change adj over same \$2balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:35

## EAST Search History

S49	5	(maximum large\$2) adj current with (minimum small\$3) adj current and phase with change same \$2balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:53
S50	10613	three adj phase and phase with change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:54
S51	690	three adj phase and phase adj balanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:11
S52	1	three adj phase and phase adj balanc\$3 and change with phase with (maximum largest high) adj6 (minimum smallest low)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 16:01
S53	168	three adj phase and phase adj balanc\$3 and phase near4 (change switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 16:02
S55	53	three adj phase and phase adj balanc\$3 and phase near4 (change switch) same (maximum high\$3 larg\$3 greatest) same (minimum low\$3 small\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 16:36
S56	16	three adj phase and phase adj balanc\$3 same phase near4 (change switch) same (maximum high\$3 larg\$3 greatest) same (minimum low\$3 small\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 16:37
S57	228	three adj phase and balanc\$3 same phase near4 (change switch) same (maximum high\$3 larg\$3 greatest) same (minimum low\$3 small\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 16:36

## EAST Search History

S58	194	three adj phase and phase adj balanc\$3 same phase with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:11
S59	18	three adj phase and phase adj balanc\$3 same phase with load with (change switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:15
S62	13	three adj phase and phase adj balanc\$3 same switch with phase with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:35
S63	4356	load with phase with change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:35
S64	841	load near4 phase near4 change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:35
S65	96	load near4 phase near4 change and balanc\$3 with phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 17:35
S67	1167	307/64,65.ccls.	USPAT	OR	ON	2006/03/01 18:30
S68	128	S67 and transfer adj switch	USPAT	OR	ON	2006/03/01 18:53
S69	106	307/65.ccls.	USPAT	OR	ON	2006/03/01 18:30
S72	3	over adj current adj grounding adj relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 18:56
S73	2353	current adj transformer with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 18:57

## EAST Search History

S74	75	current adj transformer with type adj3 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 19:05
-----	----	--	---	----	----	------------------